

eWit



EW-24PMNPOE10G4CR

Make & Model

Make	ewit
Model	EW-24PMNPOE10G4CR

Specification

Type of Switch	Managed
Technology	Non PoE
Number of 1G Copper Ports	24
Number of 10G Copper Ports	2
Number of 1 G SFP Port (Uplink)	0





Number of 10 G SFP+ Port (Uplink)	4
Multi-Gigabit Support	Yes
Redundant Power supply (from day one)	Available
Console Port	Available
Switching Capacity-Non Blocking (Gbps)	168
Throughput (MPPS)	125
Operating System	Available
Dedicated Stacking Port/Slot (from day one)	Supported
Stacking Bandwidth (Gbps)	40
Basic Layer-3 Protocol	Static routing, RIP, OSPF, ARP
Security Feature	Port security, Storm control, VLAN, ACL, MAC Port Binding
Management Protocol	CLI, Web GUI, SNMP v1,v2c,v3, Telnet, SSH
QoS	802.1p, SP, WRR, Bandwidth Control
Operating Temperature Range (Degree C)	-5 to 50° C
Operating Humidity (RH)(%)	10% to 90% RH





IPv6 Ready from day one and dully certified	Yes
PoE Power Budget (Watt)	0
On Site OEM Warranty	1 Year

