

eWit



## EW-24PMPOE1G4CR

### Make & Model

Make	ewit
Model	EW-24PMPOE1G4CR

### Specification

Type of Switch	Managed
Technology	PoE+
Number of 1G Copper Ports	24
Number of 10G Copper Ports	0
Number of 1 G SFP Port (Uplink)	4





Number of 10 G SFP+ Port (Uplink)	0
Multi-Gigabit Support	Yes
Redundant Power supply ( from day one)	Supported
Console Port	Available
Switching Capacity-Non Blocking (Gbps)	216
Throughput (MPPS)	160.7
Operating System	Available
Dedicated Stacking Port/Slot ( from day one)	Supported
Stacking Bandwidth (Gbps)	20
Basic Layer-3 Protocol	IP Interfaces, Static Routing, Host Route Table: Max 6,100 entries, RIP: Version v1/v2, Max 8,190, Proxy ARP
Security Feature	Port Isolation, CPU-Defend, ARP Inspection (Dynamic ARP Inspection), DoS Defend, IP-MAC-Port Binding, IPv6-MAC
Management Protocol	Web-based GUI, Command Line Interface (CLI) through console port, telnet, SNMPv1/v2c/v3, SDM Template, Sntp, EEE
QoS	Class of Service, Bandwidth Control, Voice VLAN, User-Defined OUI, Smoother Performance, Action for Flows





Operating Temperature Range (Degree C)	0–45 °C (32–113 °F)
Operating Humidity (RH)(%)	10–90% RH non-condensing
IPv6 Ready from day one and dully certified	Yes
PoE Power Budget ( Watt )	1440
On Site OEM Warranty	1 Year

