



(EW-WLS-MICROPHONE)

BASIC SPECIFICATIONS

TYPE	Wireless
FORM FACTOR	Collar (Lapel)
WIRELESS OPERATING RANGE	20 MTR
If Table Top, Length of Goose-neck (mm)	0 MILLIMETER
Polar Pattern / Directionality	Omni Directional
Microphone Transducer Type	Condenser
Inbuilt Speaker	No

Frequency Response (Hz)	20-20,000 Hz
Equivalent Noise Level (dBa)	0
Signal to Noise Ratio (dB)	60
Electrical impedance (ohm)	0
Sensitivity	-50DBV/PA(3.15MV)
LED Indicator	NOT AVAILABLE
On/Off switch	NOT Available
Volume Control	NO
Audio Connector Type	XLR
Casing Material	PLASTIC
Power Source	AAA 1.5 CELL

eWit

Operating Temperature Range (Degree C)	55
Operating Humidity (RH%)	20
Dimension (W x H x L) (mm)	205*65*145
WARRANTY	2
Net Weight (Gram)	250



Sub woofers	Yes
Power consumption	120
No of HDMI port	2
No of USB port	2
No of VGA port	0
No of Ethernet port	1
Built in WiFi	Yes
WiFi direct	Yes
Composite input	Yes
Component input	Yes
RF input	Yes
Built in set top box	Yes
Accessories	Remote Control,Connecting Cable,Batteries
Minimum operating temperature	-10
Maximum operating temperature	70
Minimum operating humidity	5
Maximum operating humidity	90
Dimensions(LxBxH)	-
Weight(Kg)	9