



(EW- Plane Rectangular 4W)

Ewit Trolley Type Rectangular Plane Security Mirrors

SPECIFICATION

Fixing details	Adjustable- inspection mirror can be swiveled and locked securely into required place
Lighting system	Lighting system comprising LED Light / Torch (3 Volt, 5 Watts) with adjustable mounting for focusing / Aligning with mirror is provided
Mirror Type	Plane
Shape of mirror	Rectangular
Mirror size (cm) (Diameter in case of circular	30.48 x 30.48

and length x width in case of rectangular)	
Material of Trolley Platform and telescopic rods and handle	Weatherproof powder coated steels

GENERIC

Construction	The mirror is fixed into a flat platform suitably padded with cushion material below the mirror which is fixed onto a trolley mounted on ball bearing caster wheels for smooth operation. The trolley is fitted with telescopic detachable and adjustable rods/handle. Telescopic rods having only axial movement and rotation is restricted and lock-able in desired position by way of quick – release clip liver type clutch locking system along with a suitable detachable handle.
Scope of usage	To view underside of vehicles / tables etc for any hidden explosives / suspected devices
Protecting shield over the mirror	Removable protecting shield made of waterproof cloth and high density poly urethane foam provided over the mirror to protect it during transportation
Fixing details	Adjustable- inspection mirror can be swiveled and locked securely into required place
Lighting system	Lighting system comprising LED Light / Torch (3 Volt, 5 Watts) with adjustable mounting for focusing / Aligning with mirror is provided

MIRROR

Mirror Type	Plane
Shape of mirror	Rectangular
Mirror size (cm) (Diameter in case of circular and length x width in case of rectangular)	30.48 x 30.48

TROLLEY DETAILS

No. of Wheels in the trolley (nos)	4
In case of adjustable / swivel type of fixing, Dia. of wheels of the trolley	75 centimeter
Material of Trolley Platform and telescopic rods and handle	Weatherproof powder coated steel
Dia. of front wheels of the Trolley, In case of fixed type of fixing, (cm)	40 centimeter
Material of Trolley Wheels	Poly Carbonate or Polyurethane
Dia. of rear wheels of the Trolley, In case of fixed type of fixing, (cm)	75 centimeter
Trolley Dimensions (cm)	600 centimeter

TELESCOPIC RODS

Dimensions of different sections of telescopic rods	rods in 3 sections
Adjustable length of the telescopic rods (cm)	50-120 cm

CARRYING CASE

Wooden carry case	Wooden carry case made of 10 mm thick waterproof plywood duly clad with thermocol foam protection against rubbing & scratching of paint / coated surfaces is provided
-------------------	---